

theben

Simply simpler
Simply safer
LUXORliving smart home system

Building Automation since 1921



LUXORliving
controls your building
simple and safe

LUXORliving is the KNX-based smart home system from Theben. Perfect for new builds and retrofitting. Wired, expandable by radio or completely wireless. Light on, light off. Dimming. Regulate heating. Control blinds. Scenes. Via voice control, app and button. Simply mounted, installed and commissioned without ETS. With secure communication through KNX Data Secure meaning it is a protected long-term investment. Just simple. Just safe. Just Theben.

LUXORliving Smart Home: You have the choice

- **LUXORliving Smart Start:** Wireless system for retrofitting existing buildings without a KNX bus line
- **LUXORliving:** Wired system with the option of wireless expansion

#01 Easy for everyone

LUXORliving is easy for installers to commission without ETS and easy for users to operate.

#02 More security

LUXORliving is VDE-certified and offers numerous safety functions. For a safe, secure feeling at home.

#03 Quite flexible

Simply wire and commission. Extend with wireless actuators. Relying entirely on radio. Or integrate a DALI lighting control system.

#04 Protected investments

LUXORliving is based on the global KNX standard and is future-proof compared to proprietary systems.

#05 For today and tomorrow

The LUXORliving comfort of today enables a self-determined life at home tomorrow (Ambient Assisted Living).

Table of contents

Systems	Page 4-13
Operation	Page 14-19
Solutions	Page 20-35
Program	Page 36-43



The choice is yours

LUXORliving Smart Home

Wired system

- Wired system with the option of wireless expansion
- Up to 128 TP and 64 RF devices with up to 900 functions can be controlled

System devices



The choice is yours

LUXORliving Smart Start

radio system with IP-RF system center

- Radio system for retrofitting existing buildings without KNX bus cable
- Up to 30 RF devices with up to 30 functions can be controlled.



System devices



WI-FI

WLAN



LUXORplug for setup LUXORplay for operation



IP-RF system centre

KNX-RF



Radio components



DALI actuator



Dimming actuator



Switch actuator



Roller shutter/blind actuator



Heating actuator



Push-button/interface

LUXORliving Smart Start

Retrofitting your smart home made easy

With the growing requirements for sustainable construction, the importance of renovating and retrofitting existing buildings is also increasing. But how can rental apartments, single and multi-family homes, classrooms, stores or offices be retrofitted with KNX-based smart home functions if no KNX cable has been laid? And with as little effort as possible? LUXORliving Smart Start makes it possible!



Lots of smarter advantages

LUXORliving Smart Start is the radio-based complete solution for the smart home with all the functions you really need today and in the future. Without KNX bus. Without control centre and power supply in the consumer unit. Without media coupler. And above all: without ETS. Getting started with a smart home can be so simple and future-proof.



Completely flexible

Practical system centre as room controller, can be used with push-button actuator modules or flush-mounted RF actuators for switching, dimming, blinds



Commissioning without ETS

Simply via LUXORplug Windows software



Safe

Tamper-proof radio communication with KNX Data Secure



Radio-based

Standardized radio protocol KNX RF1.R



30

30 functions

Switching, dimming, blinds, climate, scenes, groups, central OFF, panic function, window contacts, time control, astro function and much more.



Convenient to operate

Via system centre, push-button, LUXORplay app and voice. Remote control via Theben Cloud possible



Quick to install

Significant time savings thanks to flat push-button actuator modules instead of conventional wireless flush-mounted actuators and push-buttons



Flexibly expandable

Integration of Amazon Alexa, Google Assistant, IFTTT and much more.

KNX

Future-proof

KNX-based solution, later integration into wired system possible



Cost-effective

Without system devices such as power supply and media couplers and without an ETS licence, costs can be significantly reduced

LUXORliving Smart Start Retrofitting your smart home made easy



The components at a glance



LUXORliving IP-RF system centre

- System centre and control unit for up to 30 functions
- WLAN interface for communication with LUXORplug commissioning software and LUXORplay operating app
- KNX-RF interface for controlling the LUXORliving radio actuators or push-button actuator modules


LUXORliving RF push-button

- 2-/4-gang RF push-button with switching, dimming or blind actuator for use in LUXORliving and LUXORliving SmartStart
- 2-/4-gang RF push-button with temperature sensor for use in LUXORliving and LUXORliving SmartStart

Common properties

- Quick installation due to low installation depth of only 25.6 mm
- Simple replacement of conventional switches
- Compatible with many 55 mm switch ranges
- 1-/2-gang rockers (incl. retaining frame) available as accessories





LUXORliving J1 S RF
 > UP 1-channel radio blind actuator

LUXORliving PJ 1 RF
 > Radio push-button/blind actuator module

LUXORliving PD 1 RF
 > Radio push-button dimmer actuator module

LUXORliving IP-RF
 > Smart Start system centre
 WLAN
 KNX-RF

LUXORliving PS 1 RF
 > Wireless push-button switch actuator module

LUXORliving D 1 DALI RF
 > 1-channel DALI radio actuator flush-mounted

LUXORliving PB 4 RF
 > Radio push-button module

LUXORliving H 1 S RF
 > 1-channel radio heating actuator flush-mounted

LUXORliving E 1 S RF
 > 1-channel flush-mounted radio actuator for electric heating

Simply flexible in the installation and assembly

Simply wire, set up, program and you're done. Or retrofit with wireless actuators. The visualisation is created automatically. With LUXORplug you can create the project file in no time at all. Whether you carry out the installation in your office or directly on site. It is in your hands. And you have everything under control via the Internet via the Theben Cloud with the LUXORplay app - conveniently via smartphone or tablet. LUXORliving makes things easier for everyone. And some things remain as simple as you have always been used to from Theben and LUXOR: The installation.



Certified components

LUXORliving uses standard KNX communication and is therefore future-proof and investment-safe compared to proprietary systems. It is always kept up to date with updates and can be easily expanded if required. The highlight: LUXORliving contains as much KNX as necessary and as little complexity as possible.



Simple start-up

LUXOR has always been easy to install. LUXORliving is child's play. Simply mount, wire and adjust. Done. Without ETS. A licence is not required, no previous knowledge either. Simply follow your intuition - quickly, safely and successfully.



Flexible BUS wiring

In conventional installations, the functions are predefined by the wiring. Not so with LUXORliving. Based on flexible BUS cabling, lights, shutters or other applications can be assigned to the push-buttons as required.



Free push button selection

The buttons are predefined in many smart home systems. Not with LUXORliving. Here the homeowner is free to choose whether to use our LUXORliving iON push-buttons or any other conventional push-button in conjunction with our binary inputs and push-button interfaces.



**Clever
Presence
simulation**

When the residents are at home, they use LUXORliving. If you are not at home, you can use LUXORliving. The clever smart home system ensures that the lights come on and the blinds are lowered every evening while the residents enjoy their vacation in safety.



**Custom
scenarios**

Lighting scenes and shutter positions are of course also freely programmable and can be called up with a command on request. This means everyone can put together the set of scenes they want.

Simply flexible in the installation and assembly

The simple smart home system for new buildings

Whether a detached house or apartment building, villa, one-room apartment, medical practice or law firm: LUXORliving as a KNX-based, wired Smart Home system is the perfect basis for a future-proof Smart Home.

LUXORliving is wired in the same way as any other KNX installation. The individual systems such as lighting, heating, ventilation and blinds are intelligently networked with each other and commissioned without ETS. It can be conveniently controlled by voice via Amazon Alexa or Google Assistant, via the free LUXORplay app or by push-button.




Expansion stage for the TP system

Do you want to extend your home with a wired LUXORliving system to include an extension or conservatory and equip it with smart functions?


No problem: with LUXORliving, existing TP installations can be quickly and easily extended with KNX wireless actuators - without additional wiring but with all the usual functions.

The RF1 media coupler serves as an interface between the TP system and RF components.

Of course, our RF push-button actuator modules can also be used to retrofit wired LUXORliving systems. Perfect when things need to be done particularly quickly and for flat switch boxes.




LUXORliving
Smart Home
easily under control







LUXORliving Smart Home easily under control




Smart home system - that sounds like complicated programming and time-consuming familiarisation with all the functions. This does not apply to LUXORliving. LUXORliving is the smart home system that is self-explanatory. It's easy to use and it's fun to try out all the functions. This applies not only to the residents, but also to the installer during installation, programming and commissioning.

↑ **LUXORplug for commissioning**
LUXORplug is the simple commissioning software from Theben. Windows-based - fast, secure, uncomplicated. Previous knowledge is not required.

→ **LUXORplay for operation**
LUXORplay is the app for convenient, secure and almost playfully simple operation of LUXORliving via smartphone or tablet (for Android, iOS and Windows).




Simply set up Easy to operate In 6 steps




1. Start project

First, take care of the formalities by adding all relevant project information such as the property name, client, address and installer.



2. Create overview

Use drag & drop to add the rooms to the corresponding floors and assign them individual names.



3. Integrate devices

Devices that have already been installed can be automatically read in, identified and named. Or you can create the device list manually and offline.




4. Set functions

For each room, you can add functions to the devices using drag & drop. This is a simple way of determining which devices communicate with each other.



5. Program functions

These functions can be transferred at any time. The project planning does not necessarily have to be completed in order to program the devices.




6. Prepare visualisation

The project file is transferred to the system centre. From now on, the functions can be easily operated and configured with the LUXORplay app.

Full control - simply via the Internet Secure remote access via the Theben Cloud

The simple programming and operation of LUXORliving is really hard to beat. Unless, one also enables full remote access. Welcome to the Theben Cloud!



Practical: After logging into the Theben Cloud, you can edit the names of your gateways or assign management rights to additional users handed over.

myTheben

Register directly in the myTheben portal at

<https://cloud.theben.de>

and enjoy all the benefits of the cloud services after taking out a subscription.

Added value through the subscription

- free trial period of 12 months
- Use Google Assistant and Amazon Alexa skills
- Free updates
- New/extended functions exclusively for myTheben users
- Unlimited number of users

Always and everywhere there for you

All LUXORliving functions can be controlled and statuses monitored remotely via the Theben Cloud using the LUXORplay app.

You can start and configure access via the cloud yourself with just a few clicks - no network knowledge required. Or you can leave everything to your installer.



Safe is safe

With the Theben Cloud, you can play it safe thanks to the certified server location in Germany. Your LUXORliving smart home system is thus optimally protected against data theft and manipulation.





Safe is safe LUXORliving is VDE-certified

VDE
04/2021
Smart Home
Information security tested
Luxorliving Gateway IP1
www.VDEinfo.com
ID. 40048825
Tested by VDE Germany

VDE
04/2021
Smart Home
Information security tested
Luxorliving iOS App
www.VDEinfo.com
ID. 40048826
Tested by VDE Germany

VDE
04/2021
Smart Home
Information security tested
Luxorliving Android App
www.VDEinfo.com
ID. 40048827
Tested by VDE Germany

VDE
08/2021
Smart Home
Information security tested
Luxorliving Backend
www.VDEinfo.com
ID. 40051210
Tested by VDE Germany

VDE-certified and tested for smart home information security:

- LUXORliving IP1 system centre
- iOS and Android app LUXORplay
- Remote access via Theben Cloud
- Cloud server in Germany

Ambient Assisted Living

Better quality of life today and tomorrow

In addition to optimized energy efficiency, smart home functions offer enormous advantages in terms of living comfort and security. This added convenience and safety today also provides valuable support for the future.

Many people find themselves in a situation where they can no longer cope with everyday life without assistance due to age, a disability or an accident. This is where Ambient Assisted Living (AAL) comes into play. AAL stands for projects, devices and services that help senior citizens and people with disabilities to live largely independently in their own homes and avoid having to move into a care facility for as long as possible.





LUXORliving solutions with little helpers for large hurdles

Ambient Assisted Living with LUXORliving offers many opportunities to make everyday life easier by simple means, protect people from harm and improve their quality of life.

#01 Light

Switch light automatically via motion detector

With wall-mounted detectors such as the LUXORliving BI180, you don't need a free hand to switch the light on and off. A plus point if, for example, walking aids make it difficult to operate the light switch manually.

#02 Dimming

Dimming the light automatically

The LUXORplay app can be used to set lighting conditions for day and night. This means you are not dazzled when the light is switched on at night and can move around your home more safely. The dimmed light also makes it easier to fall asleep again.

Smart home retrofit? Best with the right support

A smart home retrofit or extension with LUXORliving is cheaper than you might think. The German Kreditanstalt für Wiederaufbau (KfW) also promotes the integration of smart home technologies in existing buildings. Funding can be applied for in the form of loans or grants for age-appropriate conversions, the reduction of barriers or energy-efficient refurbishments. It pays to be informed!

#03 Heating & blinds

Control heating and blinds from anywhere

If movement is restricted, LUXORliving makes it easy to adjust the temperature and shading from the sofa using voice control or an app - even via preset scenes.



#04 Central OFF

Switch off lighting centrally

With the central OFF function from LUXORliving, all lighting in the house can be switched off at the touch of a button, e.g. using the button next to the bed or via the app.

LUXORliving SmartStart: simply retrofit AAL functions

As a wireless solution, LUXORliving Smart Start provides the perfect basis for retrofitting rental apartments, owner-occupied homes and apartment buildings with AAL functions. Without a lengthy construction site at home and without high investments. Simply installed and put into operation. Convenient operation via system centre, push-button, app or voice. Flexibly expandable and absolutely future-proof thanks to the KNX-RF standard. There for today and tomorrow!

#05 Voice control

Using a home emergency call

With Amazon Alexa or Google Assistant, home emergency calls such as "My Henry" can be used by voice to contact trusted people. Other smart functions such as blind and temperature control can also be controlled by voice.

Smart Home? For sure! Optimum protection with LUXORliving



**Everything off.
Perhaps the
cleverest function.**

You know the situation: the car is packed, the family is waiting and you go through the whole house again to check everything. In the end, however, there is still an uneasy feeling of having forgotten something. That is now history. With LUXORliving you can relax and close the door behind you. You simply press "Central OFF" - and everything is off. From televisions to irons.




LUXORliving A soothing Feeling of security

Security and safety for the whole family is what most people associate with their home. It is all the more important if a break-in permanently impairs this feeling. Smart home systems such as LUXORliving offer numerous possibilities.



Always there for you.
Presence simulation
with LUXORliving.

Sometimes you just have to leave everything behind and close the doors behind you. It will be nice if everything continues to run smoothly. Just as you are used to. LUXORliving's presence simulation ensures that the lights come on and the blinds are lowered at the usual time every evening. After all, not everyone needs to know that you are not at home.



That drives everyone away.
Don't panic with LUXORliving.

It's good to know that everyone is safe and sound at home. With its panic function, LUXORliving makes a significant contribution to this feeling of security and prevents panic from arising in the first place. At least not for you, but at best for those you want to surprise. At the slightest disturbance, at unexplained noises in front of, next to or behind the house, a single command simultaneously triggers the activation of House lighting and blinds. That drives away everyone who has no business being there. Even if it's just the neighbour's cat.



Lighting

Your feel-good ambience in the right light

The right lighting makes a significant contribution to a successful feel-good ambience and can also have a positive effect on the psyche and health. LUXORliving simplifies lighting management considerably. This allows different colours (RGBW) and colour temperatures to be regulated and dimmed in different rooms.

While warm light with a low colour temperature creates a particularly cozy and relaxing atmosphere, cold light is ideal for the study or kitchen, as its high blue component has a biologically stimulating effect and makes rooms look larger and cleaner.





Versatile motion detector Lighting and HVAC control in the Smart Home

LUXORliving BI360 is the versatile motion detector for ceiling mounting for efficient lighting and HVAC control in the LUXORliving smart home system. As a motion detector with a circular detection area (360°, Ø 12 m at a mounting height of 3 m), it is suitable for entrance areas, corridors, storage rooms, cellars and toilets, for example. Thanks to protection class IP54, the BI360 can also be used in damp rooms and outdoors.

The LUXORliving BI360 offers an elegant, compact design and many other advantages: The devices are not only suitable for simple surface mounting, but also for quick ceiling or flush-mounted installation. With surface-mounted housings in black, white or gray, the motion detectors fit into any room design. The motion detector can be parameterized with minimal effort using the LUXORplug Windows software. The integrated temperature sensor for HVAC control makes an external sensor superfluous.



Surface-mounted frame, gray, LUXA 103 GR
Article no. 9070844




Surface-mounted frame black, LUXA 103 BK
Article no. 9070843

NEW



With the DALI-2 certified LUXORliving actuators, up to 30 DALI operating devices per channel can be controlled via broadcast commands. Broadcast communication requires no DALI addressing or grouping and considerably simplifies commissioning and maintenance. The actuators also support the control of the colour and colour temperature of devices according to DALI Device Type 8 (DT8) in the smart home system: For example, the atmosphere in living rooms can be made more pleasant by using colder or warmer light.



DALI broadcast actuators LUXORliving

Flexible colour control in the Smart Home

The LUXORliving DALI UP dimming actuators offer a simple and cost-effective alternative to DALI gateways where these would be oversized due to a small number of luminaires and lighting groups.

The DALI-2 certified flush-mounted dimming actuators are available for the KNX smart home system LUXORliving and for native KNX systems as well as twisted pair and wireless versions. This makes them suitable both for new buildings and for retrofitting in existing buildings.

Thanks to its compact design, it can be surface-mounted and flush-mounted or installed in ceiling boxes and suspended ceilings. Two external inputs allow the connection of potential-free buttons, switches or a temperature sensor.




DALI broadcast actuator LUXORliving D4 DALI

- 4 channels
- 30 DALI ECGs per channel
- Simple commissioning and maintenance thanks to broadcast communication
- Support for colour and colour temperature control (device type 8) via push-button or LUXORplay app

Convenient and flexible operation

LUXORliving makes your everyday life easier with intuitive and flexible operation. Individual scenes with time control can be conveniently set up via the LUXORplay app (iOS, Android and Windows), which gives you full control of all functions, including colour and colour temperature control.



Let the weather work for you

With the LUXORliving weather station

That's right, you can't change the weather. But you can use sunlight, wind, temperature and rain to control blinds and shades in your smart home system. Is that possible? It's clear: with the LUXORliving weather stations from Theben.

The weather station lowers the blinds in direct sunlight, for example, thus reducing overheating of the rooms. Or bring the blinds into a safe position in strong winds. If it starts to rain, sensitive textile hangings are automatically retracted. The weather station can also automatically open the blinds at dawn or close them at dusk if required.

- For detecting wind, rain, brightness and temperature
- Rain sensor with heating
- For fully automatic blind and sun shading control
- Display of weather data e.g. with LUXORliving app "LUXORplay"



LUXORliving M140

- Combined weather station
- Recording and evaluation directly in the device
- Sun protection for up to four façades thanks to 3 integrated brightness sensors

LUXORliving M140 24V

The All in One 24V version complements the Product portfolio of LUXORliving weather stations.

To simplify the installation only one cable needs to be laid to the weather station instead of two.




LUXORliving M100

- Combination weather sensor for use with the LUXORliving M130 weather station
- Forwarding of measured values to up to 20 LUXORliving M130 weather control centres
- For detecting wind, rain, temperature and brightness (3 directions)

One for all. Weather sensor and weather centre for the apartment building

With the LUXORliving M100 weather sensor and the M130 weather centre, you can cover several LUXORliving installations at the same time. The weather sensor supplies the information to the control centre. In this way, up to 20 LUXORliving installations - for example in an apartment building - can be supplied with valuable weather information in one go. This reduces device costs and saves installation time.



LUXORliving: The smart home system without limits

Anyone planning their own home or office space for a smart home expects one thing above all: flexibility in terms of expandability. Together with our cooperation partners, we react agilely to new market challenges and our customers' use cases and are constantly developing LUXORliving further. This keeps our smart home system simple to configure. And you enjoy maximum functionality.



Said. Done. Voice control via voice assistant

The operation of the functions is as varied as LUXORliving itself. Whether by push-button on site, LUXORplay app or voice assistant, LUXORliving executes your commands immediately.

By connecting the LUXORliving IP1 system centre to the Theben Cloud, the programmed functions can be automatically transferred to the voice assistant.

Find out more on
www.amazon.de
assistant.google.com

Works with
IFTTT

Numerous combinations with smart products and internet services

IFTTT stands for If This Then That and is the best way to integrate apps, devices and services. LUXORliving's integration into the IFTTT service enables a wide range of combinations with other smart products and internet-enabled services from the areas of: Health, productivity and social media.



You can find more details about the providers here: <https://ifttt.com/explore/services>



**Open IoT platform.
Integrate components via iHaus**

The iHaus Smart Living app is your home at a glance. iHaus collects all devices such as Philips Hue, Sonos, KNX, Tesla and much more in a central app. Connect and control smart devices, room by room - from anywhere and at any time.

Find out more at
www.ihaus.com



**Integrate warning alarms via
Ei Electronics**

A house fire or an uncontrolled carbon monoxide leak can be fatal. The integration of smoke and carbon monoxide alarms in LUXORliving is therefore particularly recommended. Thanks to the underlying mesh radio networking, residents are quickly and reliably warned of smoke and carbon monoxide and can get to safety in good time.

Find out more at
www.eielectronics.de

Get off to a flying start with the all-round carefree packages for LUXORliving

All good things come in fours: with our LUXORliving starter packages, you can get started with your smart home. Each of the packages covers a different focus. Of course, the components can be individually expanded and upgraded at any time. Just as you wish.

#01 Package blinds

You can achieve energy-efficient and safe control of various blinds with this starter pack:

Contents (article number 4990010):
1x LUXORliving IP1 system control unit
1x Power supply LUXORliving P640
1x Weather station LUXORliving M140
1x Blind actuator LUXORliving J8
2x push button interface LUXORliving T4

#02 Package lighting

Lay the foundation for an atmospheric ambience with this starter pack:

Contents (article number 4990011):
1x LUXORliving IP1 system control unit
1x Power supply LUXORliving P640
1x Switch actuator LUXORliving S8
1x dimming actuator LUXORliving D4
2x push button interface LUXORliving T4

#03 Package blinds and lighting

You can implement the most important functions with this starter package:

Contents (article number 4990012):
1x LUXORliving IP1 system control unit
1x Power supply LUXORliving P640
1x Switch actuator LUXORliving S8
1x dimming actuator LUXORliving D4
1x Blind actuator LUXORliving J8
4x pushbutton interface LUXORliving T4
1x Weather station LUXORliving M140

#04 Package blinds basic

Beginners can control various blinds with this starter pack:

Contents (article number 4990013):
1x LUXORliving IP1 system control unit
1x Power supply LUXORliving P640
1x Blind actuator LUXORliving J8
4x pushbutton interface LUXORliving T4



theBUDDY

theben connecting people



theBuddy Partner Program: Strong partnership for smart experts

theBuddy is Theben's partnership concept that turns satisfied customers into close partners. And from which you and your customers benefit. The idea behind it is very simple: partners support each other. We - Theben - support our partners in four ways:

- **Partnership in a strong team:** technical support, access to exclusive training
- **Warranty extension - 5 years:** five-year warranty on every LUXORliving installation
- **Advertising material:** Selection of high-quality advertising material such as personalised banners
- **Exclusivity:** Online presence on the Theben website



Find out more now and become theBuddy!

You are not yet a theBUDDY, but you want to become one? Would you like to make an appointment with our sales representative? Simply send us an e-mail to thebuddy@luxorliving.de. We are here for you.

LUXORliving

The whole program

	Description	Type	Item no.
LUXORliving push-button sensors			
	Push-button sensor with 2 buttons and 2 status LEDs and integrated temperature sensor	LUXORliving iON2	4800412
		LUXORliving iON2 BK**	4801412
		LUXORliving iON2 SR**	4802412
	Push-button sensor with 4 buttons and 4 status LEDs and integrated temperature sensor	LUXORliving iON4	4800414
		LUXORliving iON4 BK**	4801414
		LUXORliving iON4 SR**	4802414
	Room controller with integrated room temperature controller, LC display for operating and displaying 10 functions	LUXORliving iON8	4800418
		LUXORliving iON8 BK**	4801418
		LUXORliving iON8 SR**	4802418
	Frame for surface mounting the push-button sensors	Surface Box iON WH	9080024
		Surface Box iON BK	9080025
LUXORliving motion detector			
	Motion detector for indoor wall mounting	LUXORliving BI180 WH	4800350
	Motion detector for ceiling mounting indoors and outdoors, with round detection area, flush-mounted, recessed ceiling and surface-mounted	LUXORliving BI360	4800355
	Frame for surface mounting the LUXORliving BI360 motion detector	Surface box LUXA 103 B WH	9080019
		Surface box LUXA 103 B GR	9080020
		Surface box LUXA 103 B BK	9080021
LUXORliving system appliances			
	LUXORliving system centre	LUXORliving IP1	4800495
	Power supply 640 mA	LUXORliving P640	4800990
	Media coupler for system expansion with radio devices	LUXORliving RF1	4800868


** BK = black, SR = silver

Further information and accessories can be found on our website www.luxorliving.co.uk

	Description	Type	Item no.
LUXORliving DALI actuator			
	4-channel DALI actuator Broadcast, DALI-2 certified interface to DALI operating devices	LUXORliving D4 DALI	4800300
LUXORliving actuators			
	4-way switching actuator, 16 A, 600 W LED lamp load	LUXORliving S4	4800420
	8-channel switching actuator, 16 A, 600 W LED lamp load	LUXORliving S8	4800425
	16-channel switching actuator, 16 A, 600 W LED lamp load	LUXORliving S16	4800429
	2-channel universal dimming actuator, 2 x 400 W LED lamp load	LUXORliving D2	4800470
	4-channel universal dimming actuator, 4 x 200 W LED lamp load	LUXORliving D4	4800475
	4-channel blind actuator	LUXORliving J4	4800450
	4-channel blind actuator compact, 6 binary inputs, replacement LUXOR home comfort control	LUXORliving J4-6	4800451
	8-channel blind actuator	LUXORliving J8	4800455

LUXORliving

The whole program

	Description	Type	Item no.
LUXORliving package			
	System centre LUXORliving IP1, power supply LUXORliving P640, weather station LUXORliving M140, blind actuator LUXORliving J8, 2x push-button interface LUXORliving T4	LUXORliving package blinds	4990010
	LUXORliving IP1 system central control unit, LUXORliving P640 power supply, LUXORliving S8 switching actuator, LUXORliving D4 dimming actuator, 2x LUXORliving T4 push-button interface	LUXORliving lighting package	4990011
	System centre LUXORliving IP1, power supply LUXORliving P640, weather station LUXORliving M140, switch actuator LUXORliving S8, dimming actuator LUXORliving D4, blind actuator LUXORliving J8, 4x push-button interface LUXORliving T4	LUXORliving package blinds & lighting	4990012
	System centre LUXORliving IP1, power supply LUXORliving P640, blind actuator LUXORliving J8, 4x push-button interface LUXORliving T4	LUXORliving package blinds basic	4990013
LUXORliving UP actuators			
	1-channel universal dimming actuator flush-mounted, 250 W LED lamp load, 2 integrated inputs for pushbuttons, switches or temperature sensor	LUXORliving D1	4800570
	1-channel flush-mounted DALI actuator, simple commissioning of up to 30 ECGs in broadcast mode, 2 integrated inputs for push-buttons, switches or temperature sensors	LUXORliving D1 DALI	4800580
	1-channel blind actuator flush-mounted, 10 A, 2 integrated inputs for pushbutton, switch or temperature sensor	LUXORliving J1	4800550
	1-channel switch actuator flush-mounted, 16 A, 600 W LED lamp load, 2 integrated inputs for pushbuttons, switches or temperature sensor	LUXORliving S1	4800520
	1-channel heating actuator flush-mounted for controlling thermal actuators 230 V AC, 2 integrated inputs for pushbuttons, switches or temperature sensor	LUXORliving H1	4800540
	1-channel flush-mounted heating actuator for electric heaters, direct connection option for floor sensor, integrated controller	LUXORliving E1	4800542

Further information and accessories can be found on our website www.luxorliving.co.uk

	Description	Type	Item no.
LUXORliving binary inputs/button interfaces			
	6-channel binary input, multi-voltage	LUXORliving B6	4800430
	2-channel push-button interface for the integration of push-buttons or switches	LUXORliving T2	4800402
	4-channel push-button interface for the integration of push-buttons, switches or temperature sensors	LUXORliving T4	4800404
	8-channel push-button interface for the integration of push-buttons, switches or temperature sensors	LUXORliving T8	4800408
LUXORliving heating control			
	6-channel heating actuator for controlling thermal actuators 24-230 V AC	LUXORliving H6	4800440
	6-channel heating actuator for controlling thermal actuators 24 V or 0-10 V, simple installation in the heating circuit manifold	LUXORliving H6 24V	4800441
	Single-room temperature controller with 4-channel push-button interface	LUXORliving R718	4800480
LUXORliving air conditioning			
	IR gateway for controlling climate split devices	LUXORliving AC IR1	4800320
LUXORliving weather station			
	Combination weather station for recording wind, rain, brightness and temperature	LUXORliving M140	4800490
	Combination weather station with 24V auxiliary voltage for recording wind, rain, brightness and temperature	LUXORliving M140 24V	4800493
	Combination weather sensor for use with the LUXORliving M130 weather station, forwarding of measured values	LUXORliving M100	4800491
	Weather centre for use with the LUXORliving M100 weather sensor, reception and evaluation of measured values	LUXORliving M130	4800492

LUXORliving

The whole program

	Description	Type	Item no.
LUXORliving System centre Smart Start			
	System centre for a radio-based smart home system, control centre and room controller for 30 functions, WLAN interface, KNX-RF interface for controlling the LUXORliving radio actuators or push-button actuator modules	LUXORliving IP-RF	4800000
LUXORliving radio components			
	1-channel radio switch actuator flush-mounted, 10 A, 600 W LED lamp load, 2 integrated inputs for pushbuttons, switches or temperature sensor	LUXORliving S1 S RF	4800621
	1-channel radio universal dimming actuator flush-mounted, 250 W LED lamp load, 2 integrated inputs for pushbuttons, switches or temperature sensor	LUXORliving D1 S RF	4800671
	1-channel DALI radio actuator flush-mounted, simple commissioning of up to 30 ECGs in broadcast mode, 2 integrated inputs for push-buttons, switches or temperature sensors	LUXORliving D1 DALI S RF	4800681
	1-channel radio blind actuator flush-mounted, 5 A, 2 integrated inputs for pushbutton, switch or temperature sensor	LUXORliving J1 S RF	4800651
	1-channel radio heating actuator flush-mounted for controlling thermal actuators 230 V AC, 2 integrated inputs for pushbuttons, switches or temperature sensor	LUXORliving H1 S RF	4800641
	1-channel radio heating actuator flush-mounted for electric heaters, direct connection possibility floor sensor, integrated controller	LUXORliving E1 S RF	4800642
	4-channel radio pushbutton interface UP for integration of pushbuttons, switches or temperature sensors	LUXORliving T4 S RF	4800614

Further information and accessories can be found on our website www.luxorliving.co.uk

	Description	Type	Item no.
	2/4-channel radio push-button with temperature sensor LUXORliving	LUXORliving PB 4 RF	4800615
	2/4-gang wireless push-button with switch actuator LUXORliving	LUXORliving PS 1 RF	4800625
	2/4-channel wireless push-button with dimming actuator LUXORliving	LUXORliving PD 1 RF	4800675
	2/4-channel radio push-button with blind actuator LUXORliving	LUXORliving PJ 1 RF	4800655
	For use in 55 mm switch ranges, including mounting frame	Rocker 1-fold WH	9080026
	For use in 55 mm switch ranges, including mounting frame	Rocker 2-fold WH	9080027

Theben is a member of:



www.LUXORliving.co.uk
Register now and Experience simplicity.

theben

Theben AG
Hohenbergstraße 32 · 72401 Haigerloch
Phone +49 7474 692-0
info@theben.de · www.theben.de/en

Service Hotline

hotline@theben.de
Phone +49 7474 692-369
KNX hotline +49 7474 692-394
Mon–Thu 7 a.m.–6 p.m., Fri 7 a.m.–4 p.m.



9900649 0324
Subject to technical changes
and improvements.

