


CHEOPS drive KNX

Item no.: 7319200

Home and Building control
KNX

Description

- Motorised actuator for heater valve or for controlling the heating valves
- Without integrated control
- Display via LEDs (red)
- 2 inputs for window contact or presence detector
- Display of valve stroke
- Automatic valve stroke recognition
- Simple installation by clicking onto valve adapter
- Can be used in heating circuit distributor
- Integrated bus coupling unit
- With summer mode and valve protection
- 2 different valve adapters included (VA 10, VA 78)



Technical data

CHEOPS drive KNX	
Operating voltage KNX	Bus voltage, ≤ 10 mA
Max. valve stroke	7.5 mm
Controlling torque details	120 N
Runtime	< 20 s/mm
Installation type	Locks on valve adapter

CHEOPS drive KNX	
Type of connection	6-pole (length 1.0 m)
Display	Hubanzeige: 5 LEDs (5 x rot)
Behaviour in case of control signature failure	Moves to optional position
Ambient temperature	0°C ... 50°C

Subject to technical changes and misprints

additional information at: www.theben.de/product/7319200

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

CHEOPS drive KNX


Item no.: 7319200

Technical data

CHEOPS drive KNX	
Stock temperature	-20°C ... 60°C
Medium temperature	≤100°C
Dimensions	50 mm, 82 mm, 65 mm

CHEOPS drive KNX	
Protection class	III according to EN 60730-2-14
Type of protection	IP 21

Scale drawings



Subject to technical changes and misprints

additional information at: www.theben.de/product/7319200

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

CHEOPS drive KNX

Item no.: 7319200

Accessories

Valve adapter VA 80

Item no.: 9070437

