

# theLeda S8-100 WH

Item no.: 1020800

LED spotlights  
LED light with motion detector

## Description

- LED spotlight with 8,5 W and integrated motion detector
- Colour temperature 4000 K
- Wall mounting
- Additional output for switching of other luminaires/consumers
- Spotlight can be swivelled  $\pm 40^\circ$  horizontally, and adjusted  $70^\circ$  downwards, wall-wash functionality by swivelling  $180^\circ$
- Suitable for outdoor use
- Automatic lighting control based on presence and brightness
- $180^\circ$  detection angle at a detection range of 10 m
- Area limit via lens attachment
- Manual control via push-button possible
- Test function
- Networkable via wire



## Technical data

theLeda S8-100 WH	
Operating voltage	230 V AC
Frequency	50 Hz
Stand-by consumption	~0.5 W
Colour	White (similar RAL 9010)
Switching output	Light
Installation type	Wall installation, Outdoor
LED output (lighting current)	900 lm
Colour temperature	4000 K, neutral white
Colour rendering index	< 80
Service life	L80/B10/45.000 h   L70/ B50/50.000 h
Detection angle	$180^\circ$
Installation height	1.8 - 2.5 m

theLeda S8-100 WH	
Light switch-off delay	10 s - 30 min
Incandescent/halogen lamp load	500 W
LED lamp < 2 W	20 W
LED lamp 2-8 W	100 W
LED lamp > 8 W	100 W
Detection range	10 m
Detection range	Semicircular
Ambient temperature	$-20^\circ\text{C} \dots 55^\circ\text{C}$
Protection class	II
Type of protection	IP 55
Predecessor	1020921, theLeda S10 WH   1020931, theLeda S10 W WH

Subject to technical changes and misprints

additional information at: [www.theben.de/product/1020800](http://www.theben.de/product/1020800)


The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

# theLeda S8-100 WH

Item no.: 1020800




## Connection example



## Detection range for planning applications at a temperature of 21 °C

Mounting height (A)	Diagonally (t)	Head on to (R)
2.5 m	10 m	3 m



Subject to technical changes and misprints

additional information at: [www.theben.de/product/1020800](http://www.theben.de/product/1020800)

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

02/06/2026


Page 2 of 3

# theLeda S8-100 WH

Item no.: 1020800


**theben**

## Scale drawings



## Accessories

**Corner angle 10 WH**  
Item no.: 9070969



**Spacer 10 WH**  
Item no.: 9070971



Subject to technical changes and misprints

additional information at: [www.theben.de/product/1020800](http://www.theben.de/product/1020800)

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.