

theRonda P360 DALI-2 S UP WH

Item no.: 2080090

theben

Presence and motion detectors
Ceiling installation indoor

Description

- Passive infra-red presence sensor for flush-mounted ceiling installation, DALI-2 certified
- Circular detection area 360°, Ø 24 m, (452 m²) at mounting height 3 m
- This device provides information about presence and brightness in the form of a DALI telegram in line with IEC 62386 Part 303/304
- 1 instance for presence
- 3 mixed light measurements
- 4 instances for brightness – integral/interior/centre/window
- Easy to calibrate brightness measurement
- Test mode for checking function and detection area
- Configurable detection sensitivity
- Can be configured via DALI bus or remote control
- The „theSenda S“ or „theSenda B“ user remote controls can be used to dim or switch the lamps, to control the blinds, or to execute additional functions via the higher-level control
- Ceiling installation in flush-mounted box
- Surface-mounted installation possible with surface frame 110A (optional)
- Area restriction with cover clips (optional)
- „theSenda B“ app remote control (optional) and corresponding „theSenda Plug“ app (for iOS/Android)
- A Multi-Master Application Controller is required for commissioning/control and configuration. According to IEC 62386, this must include parts 101/103 and optionally 301/303/304



Subject to technical changes and misprints

additional information at: www.theben.de/product/2080090

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

theRonda P360 DALI-2 S UP WH


Item no.: 2080090



Technical data

theRonda P360 DALI-2 S UP WH		theRonda P360 DALI-2 S UP WH	
Operating voltage	DALI	Setting range brightness	10 - 10000 lx
Installation height	2 - 10 m	Max. cable cross section	max. 2 x 2,5 mm ²
Maximum height	15 m	Size of concealed housing	55 mm
Minimum height	1.7 m	Detection range	452 m ² (ø 24 m 360°)
Installation type	Ceiling installation	Detection angle	360°
Switching output	Sensor DALI	Ambient temperature	-15°C ... 50°C
Power consumption	≤10 mA	Type of protection	IP 54 (when fitted)
Light measurement	Mixed light measurement		

Connection example



Detection range for planning applications at a temperature of 21 °C

Mounting height (A)	Sitting (S)	Diagonally (T)	Frontal gehend (R)
2 m	16 m ² 4.5 m	380 m ² 22 m	28 m ² 6 m
2.5 m	24 m ² 5.5 m	415 m ² 23 m	38 m ² 7 m
3 m	28 m ² 6 m	452 m ² 24 m	50 m ² 8 m
3.5 m	38 m ² 7 m	452 m ² 24 m	50 m ² 8 m
6 m		452 m ² 24 m	50 m ² 8 m
10 m		491 m ² 25 m	50 m ² 8 m

Subject to technical changes and misprints

additional information at: www.theben.de/product/2080090


The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

theRonda P360 DALI-2 S UP WH

Item no.: 2080090



Detection range for planning applications at a temperature of 21 °C



Detection range according to Sensnorm IEC 63180

Mounting height (A)	Diagonally (T)	Head on to (R)	Sitting (S)
2.5 m	434 m ² 23.5 m	55 m ² 8.4 m	50 m ² 8 m
10 m	707 m ² 30 m	79 m ² 10 m	
15 m	616 m ² 28 m	141 m ² 13.4 m	

Subject to technical changes and misprints

additional information at: www.theben.de/product/2080090


The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

theRonda P360 DALI-2 S UP WH

Item no.: 2080090

theben

Scale drawings



Accessories

theSenda P
Item no.: 9070910




theSenda S
Item no.: 9070911



Surface frame 110A GR
Item no.: 9070913




Surface frame 110A WH
Item no.: 9070912



Masking clip
Item no.: 9070921



QuickSafe
Item no.: 9070531



theSenda B
Item no.: 9070985



Cover 110 GR
Item no.: 9070591



Subject to technical changes and misprints

additional information at: www.theben.de/product/2080090

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

theRonda P360 DALI-2 S UP WH

Item no.: 2080090

theben

Accessories

Ceiling installation box 68A

Item no.: 9070992



Surface frame 110A BK

Item no.: 9070600



Cover 110 BK

Item no.: 9070851



Subject to technical changes and misprints

additional information at: www.theben.de/product/2080090

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

09/01/2026

Page 5 of 5