TA 4 S DALI-2

Item no.: 4960094

DALI
DALI-2 Room Solution

Description

- 4-way DALI-2 push-button interface flush-mounted
- 4 inputs for connection of potential-free push-buttons
- Push-buttons of the contact type „normally open" or „normally closed " can be used, the contact type is adjustable in the memory bank
- 2 additional inputs for the connection of variable resistors, e.g. sliders, potentiometers or various Theben temperature sensors according to the standard IEC 62386 part 302, the selection of the sensor is done in the memory bank
- The identification of the push-button interface is indicated via the LED
- One DALI bus device and can be addressed accordingly according to 62386 part 103
- Power supply via the DALI bus
- Simple installation in commercially available flush-mounted boxes
- Pairs perfectly with our theRonda P360 DALI-2 HCL or other higher-level control systems



Technical data

	TA 4 S DALI-2
Installation type	Flush-mounted

	TA 4 S DALI-2
Protection class	II
Type of protection	IP 20

Scale Drawings





Accessories

External temperature sensor 1
Item no.: 9070191

Temperature sensor
Item no.: 9070321

Temperature sensor RAMSES IP 65
Item no.: 9070459

Temperature sensor
Item no.: 9070489

TA 4 S DALI-2

Item no.: 4960094

Accessories

Flush-mounted temperature sensor
Item no.: 9070496

4-way push button module
Item no.: 9070806